

GUJARAT TECHNOLOGICAL UNIVERSITY
BE- SEMESTER- 1st / 2nd (OLD) EXAMINATION – SUMMER 2018

Subject Code: 110009

Date: 17-05-2018

Subject Name: MATHEMATICS-II

Time: 02:30 pm to 05:30 pm

Total Marks: 70

Instructions:

1. Attempt any five questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

Q.1 (a) (i) For which values of k , u and v orthogonal? **03**

$$u = (2, 1, 3), v = (1, 7, k)$$

(ii) Verify Cauchy-Schwarz inequality for the vectors **04**

$$u = (0, -2, 2, 1), v = (-1, -1, 1, 1)$$

(b) **03**

(i) Find the rank for the matrix $\begin{bmatrix} 1 & 6 & 8 \\ 2 & 5 & 3 \\ 7 & 9 & 4 \end{bmatrix}$.

(ii) Solve the following linear system by using Gauss Jordan method. **04**

$$3x - 2y + 8z = 9$$

$$-2x + 2y + z = 3$$

$$x + 2y - 3z = 8$$

Q.2 (a) (i) Solve the following linear system by using Gauss Elimination method **03**

$$x + y + z = 6$$

$$x + 2y + 3z = 10$$

$$x + 2y + 4z = 1$$

(ii) Find the inverse of the matrix $\begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & 1 \\ 0 & 1 & 0 \end{bmatrix}$. **04**

(b) **03**

(i) Prove that the matrix $A = \begin{bmatrix} -1 & 2+i & 5-3i \\ 2-i & 7 & 5i \\ 5+3i & -5i & 2 \end{bmatrix}$ is a hermitian matrix.

(ii) Find the eigenvalues and eigenvectors of the matrix $A = \begin{bmatrix} 1 & 0 & -1 \\ 1 & 2 & 1 \\ 2 & 2 & 3 \end{bmatrix}$ **04**

Q.3 (a) Show that the set of all 2×2 matrices of the form $\begin{bmatrix} a & 1 \\ 1 & b \end{bmatrix}$ with addition defined **07**

by $\begin{bmatrix} a & 1 \\ 1 & b \end{bmatrix} + \begin{bmatrix} c & 1 \\ 1 & d \end{bmatrix} = \begin{bmatrix} a+c & 1 \\ 1 & b+d \end{bmatrix}$ and scalar multiplication defined by

$k \begin{bmatrix} a & 1 \\ 1 & b \end{bmatrix} = \begin{bmatrix} ka & 1 \\ 1 & kb \end{bmatrix}$ is a vector space.

- (b) (i) Determine whether the vectors $(1, 2, 3), (3, -2, 1)$ and $(1, -6, -5)$ are linearly dependent or linearly independent. **03**
(ii) Determine whether the vectors $(1, -1, 1), (0, 1, 2), (3, 0, -1)$ forms basis for R^3 **04**
- Q.4** (a) Extend the subset $A = \{(1, -2, 5, -3), (2, 3, 1, -4)\}$ of R^4 to the basis for vector space R^4 . **07**
(b) (i) Find two vector in R^2 with Euclidean norm whose inner product with $(-3, 1)$ is zero. **03**
(ii) Obtain the matrix of a linear transformation $T : R^3 \rightarrow R^3$ defined by $T(x, y, z) = (2x, x + y + z, x + 3z)$ with respect to the basis $B_1 = \{(1, 0, 0), (1, 1, 0), (1, 1, 1)\}$ and $B_2 = \{(1, 0, 0), (0, 1, 0), (0, 0, 1)\}$. **04**
- Q.5** (a) For the basis $S = \{u, v, w\}$ of R^3 , where $u = (1, 1, 1), v = (1, 1, 0)$ and $w = (1, 0, 0)$, let $T : R^3 \rightarrow R^3$ be a linear transformation such that $T(u) = (2, -1, 4), T(v) = (3, 0, 1), T(w) = (-1, 5, 1)$. Find a formula for $T(x, y, z)$ and use it to find $T(2, 4, -1)$. **07**
(b) State Rank-Nullity theorem. **07**
Let $T : R^4 \rightarrow R^3$ be a linear transformation defined by $T(1, 0, 0, 0) = (1, 1, 1), T(0, 1, 0, 0) = (1, -1, 1), T(0, 0, 1, 0) = (1, 0, 0), T(0, 0, 0, 1) = (1, 0, 1)$. Then verify the rank-nullity theorem.
- Q.6** (a) Find the least square solution of the linear system $AX = b$ given by **07**
$$\begin{aligned} x_1 + x_2 &= 7 \\ -x_1 + x_2 &= 0 \\ x_1 + 2x_2 &= -7 \end{aligned}$$

(b) Let R^3 have the Euclidean inner product. Use the Gram Schmidt process to transform the basis $\{u_1, u_2, u_3\}$ into an orthonormal basis, where $u_1 = (1, 0, 0), u_2 = (3, 7, -2), u_3 = (0, 4, 1)$ **07**
- Q.7** (a) Find a matrix that diagonalizes and determine $P^{-1}AP$, where $A = \begin{bmatrix} 2 & 0 & -2 \\ 0 & 3 & 0 \\ 0 & 0 & 3 \end{bmatrix}$. **07**
(b) (i) Find the algebraic and geometric multiplicity of $A = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & -3 & 3 \end{bmatrix}$. **03**
(ii) Verify Caley-Hamilton theorem for the matrix, $A = \begin{bmatrix} 2 & -1 & 1 \\ -1 & 2 & -1 \\ 1 & -1 & 2 \end{bmatrix}$. **04**
